

COMPLIANCE REPORT

APRIL 2020 - SEPTEMBER 2020

M/S MANJERI BRICKS AND METALS PVT. LTD

(Quarry Project)

Malappuram District, Kerala

Manjeri Bricks & Metals Pvt Ltd.

Pullanjeri P.O, Manjeri, Malappuram Dt, Kerala-676122

Date:.....
Dt. 04-12-2020

The Additional Principal Chief Conservator of Forests (C)
Ministry of Environment, Forests & Climate Change,
4th Floor, E& F Wing, Kendriya Sadan,
Koramangala, Bangalore – 560034

Ref :- File No. 537/ SEIAA/EC1/3880/2015

Subj :- Environment Clearance – Quarry project at Anakayam Village & Panchayat and at Manjeri Village of Manjeri Municipality, Ernadu Taluk, Malappuram District, Kerala.– Compliance Report – First half - Reg.

Respected Sir,

The Quarry (Building stone) project was accorded Environmental Clearance for **2.8549 ha.** by order No. **537/SEIAA/EC1/3880/2015**, dated 11-02-2016 by State Environmental Impact Assessment Authority, Kerala. The compliance report of **First half** (April 2020 – September 2020) to the specific and general conditions of the Environment Clearance order is enclosed.

Thanking you,

Yours respectfully,

For M/s Manjeri Bricks & Metals Pvt. Ltd

For MANJERI BRICKS AND METALS PVT. LTD.

Mr. Abdul Azees
Managing Director


Managing Director

Encl: - As Above

Copy to: The Member Secretary
State Environment Impact Assessment Authority (SEIAA),
Thiruvananthapuram, Kerala.

Building stone Quarry Project

Situated at

**SURVEY NOS. 276/2, 281/2, BLOCK 45 OF ANAKAYAM VILLAGE
& PANCHAYAT**

**SURVEY NO. 244 AT MANJERI VILLAGE OF MANJERI
MUNICIPALITY, ERNADU TALUK,
MALAPPURAM DISTRICT, KERALA**

ENVIRONMENTAL CLEARANCE ORDER

NO: 537/ SEIAA/EC1/3880/2015

DATED: 11.02.2016

Prepared and Submitted

BY

M/S MANJERI BRICKS & METALS PVT LTD

MALAPPURAM DISTRICT

KERALA

INDEX

Sl. No.	Particulars	Page No.
1.	Introduction	07
2.	Salient features of the project	08
3.	Brief of the project	09
4.	Compliance Report – General conditions	10
5.	Plates	26
6.	Annexure	33

LIST OF TABLES

Table. No.	Particulars	Page No.
1.	Environmental Monitoring Cell (EMC)	11
2.	Details of the vegetation existing along the road side	12
3.	Details of saplings planted as part of eco - restoration	13
4.	Details of performed activities under CSR	15
5.	Details of statutory approvals	21
6.	Details of advertisement published in news papers	24

LIST OF PLATES

Plate No.	Particulars	Page No.
1.	Photograph showing fencing for Rain Water Harvesting Pond	27
2.	Photograph showing the sprinkler installed in the project site	27
3.	Photograph of fencing	28
4.	Photograph showing warning alarm installed in the project site	28
5.	Photographs showing the tarred access road to the project site	29
6.	Photograph showing the crusher unit in the project site.	29
7.	Photograph of workers with personal protective equipments (PPE) during quarrying operations.	30
8.	Photograph of eco restoration	30
9.	Photograph showing the magazine (Explosive storage area)	31
10	Photograph of metallic Board	31
11	Photograph of Mining Area	32

LIST OF ANNEXURES

Annexure No.	Particulars	Page No.
1.	Copy of the “ <i>Consent to Operate</i> ” from Kerala State Pollution Control Board	34
2.	Copy of Environmental Clearance	37
3.	Copy of Explosive License issued by the Ministry of Commerce & Industry – Petroleum & Explosives Safety Organization (PESO)	38
4.	Copy of License for quarry operations from <i>Municipality/ Gram Panchayath</i>	39
5.	Copy of lease order form Director of Mining and Geology	41
6.	Copy of advertisement in newspaper	42
7	Copy of monitoring report of ambient air	43
8	Copy of monitoring report of sound level.	44
9	Copy of monitoring report of water	45
10	Copy of CSR/CER Receipts	46

INTRODUCTION

The quarry project of **M/s Manjeri Bricks & Metals Pvt. Ltd.** is situated at survey Nos. 276/2, 281/2, Block 45 of Anakayam Village & Panchayat and Survey No. 244 at Manjeri Village of Manjeri Municipality, Ernadu Taluk, Malappuram District, Kerala.

M/s Manjeri Bricks & Metals Pvt. Ltd was obtained with the Environmental Clearance (EC) by State Environmental Impact Assessment Authority on 11-02-2016. As part of general condition No.37 of Environmental Clearance order and EIA Notification the half yearly compliance report needs to be submitted by the project proponent.

This report contains the compliance of conditions of Environmental Clearance for the period of **April 2020 - September 2020.**

SALIENT FEATURES OF THE PROJECT

The project comes under Category B, Activity 1 (a), (i) as per the Schedule of EIA Notification 2006 (since it is below 50 hectares) and as per O.M No. L-11011/47/2011-IA.II (M) dated 18th May 2012 of Ministry of Environment and Forests. It is further categorized as Category B2 as per the O.M No. J-13012/12/2013-IA-II (I) dt.24.12.2013 of Ministry of Environment and Forests, since the area of the project is below 25 hectares.

Geographical location of the project site is in 11°05'50.78" N to 11°05'42.30" N and 75° 76°08'21.70" E to 76°08'15.00" E. The land use classification as per revenue records is rocky land with private own land. The present land use is rocky land with quarrying activities. The quarry is interlinked with a Crusher unit located within the complex. The exploitation of mineral is being done from 145 m MSL to 95 m MSL. The ultimate depth of the mine workings is estimated to be 110 m MSL. The approximate total water demand is 15 KLD. and total power requirement is 75 kw. The nearest house is located at 104 m south west of the quarry.

BRIEF OF THE PROJECT

Type of Project	Quarry project (building stone)
Name of the project	M/s Manjeri Bricks & Metals Pvt. Ltd.
Category of the project	B2
GPS Locations	11°05'50.78" N to 11°05'42.30" N 76°08'21.70" E to 76°08'15.00" E
Address for correspondence	M/s Manjeri Bricks & Metals Pvt. Ltd. Vettakode, Pullanchery P.O., Manjeri, Malappuram District, Kerala-676122.
Name, Phone Number & e - mail id of responsible persons	
Main Features	
Total area under Environment Clearance	2.8549 hectares
Minable reserves	8,00,000 MT
Production	1,00,000 MTA
Life of Mine	8 years
Highest and lowest elevation	145m MSL to 95 MSL
Crusher unit	Yes, within the project site
Environmental Settings	
Nearest stream	Kadalundipuzha, 1 km, S
Nearest house	104 m, NE
Nearest town	Manjeri 4 km, NW
Nearest worship place	Mosque - Vettakode, 1 km., NW
Nearest hospital	Manjeri 4 km, NW
Seismic zone	Zone-III, Moderate damage risk zone as per BMTPC, Vulnerability atlas Seismic zone of India IS: 1893-2002.

GENERAL CONDITIONS

GENERAL CONDITIONS

01	Rain Water Harvesting capacity should be installed as per the prevailing provisions of KMBR / KPBR, unless otherwise specified.	Complied
-----------	--	-----------------

Compliance:

To collect rain water from the entire mining area, the project proponent has developed two rain water harvesting pond in the project site. The storm water flow is leading to the pond through drainage. The excess clear water is flowing to the public draining after proper filtration. The water from pond is mainly used for, watering of plants, wetting of roads and sprinkler system for contain dust emission. The photograph of Rain water collection pond is provided in **Plate No. 1**

02	Environment Monitoring Cell (EMC) as agreed under the affidavit filed by the proponent should be formed and made functional.	Complied
-----------	---	-----------------

Compliance:

The project proponent has constituted an Environment Monitoring Cell (EMC) with Mr. Noushad M T as head of the cell. The meetings of the cell convened periodically and evaluate the activities towards the stipulations of Environmental Clearance order. The details of the monitoring cell are given below:

TABLE 1 ENVIRONMENTAL MONITORING CELL (EMC)

Sl. No.	Post	Name
1.	Head of the monitoring cell	: Noushad M T
2.	Member	: Abdul Majeed
3.	Member	: Saidhalavi

03	Suitable avenue trees should be planted along either side of the tarred road and open parking areas, if any, inclusive of approach road and internal roads.	Being complied
-----------	--	-----------------------

COMPLIANCE REPORT

Compliance:

To enrich vegetation and prevent air pollution, the project proponent has various avenue trees along either side of the roads, parking area and other areas in the project land. There are natural vegetations including trees, shrubs, herbs and climbers also present in the project area. This will help to reduce air and sound pollution. The details of vegetation are given below in **Table No 2**.

TABLE 2 Details of the natural vegetation existing along the road side

Sl. No.	Scientific Name	Common Name	Family	Type
1	<i>Ficus racemosa</i>	Athi	Moraceae	Tree
2	<i>Pongamia pinnata</i>	Ungu	Fabaceae	Tree
3	Bambusoideae	Bamboo	Poaceae	Tree
4	<i>Murraya koenigii</i>	Curry tree	Rutaceae	Tree
5	<i>Swietenia mahagoni</i>	Mahagony	Meliaceae	Tree
6	<i>Anacardium occidentale</i>	Kasumavu	Anacardiaceae	Tree
7	<i>Artocarpus heterophyllus</i>	Plavu	Moraceae	Tree
8	<i>Chromolaena odorata</i>	Communist-pacha	Compositae	Shrub
9	<i>Cocos nucifera</i>	Thengu / Coconut	Arecaceae	Tree
10	<i>Mangifera indica</i>	Mavu	Anacardiaceae	Tree
11	<i>Pennisetum orientale</i>	Oriental fountain grass	Poaceae	Herb
12	<i>Tabernaemontana alternifolia</i>	Kunnanpala	Apocynaceae	Tree
13	<i>Tectona grandis</i>	Thekku	Verbenaceae	Tree
14	<i>Ziziphus oenopolia</i>	Thodalli	Rhamnaceae	Climber

04	Maximum possible solar energy generation and utilization shall be ensures as an essential part of the project.	Complied
----	--	----------

Compliance:

The project proponent has installed solar street lights in the project site to use maximum renewable energy to reduce electrical consumption from KSEB. The lights are maintained by the project proponent effectively.

05	Sprinklers shall be installed and used in the project site to contain dust emissions.	Complied
-----------	--	-----------------

Compliance:

To prevent dust emission, sprinklers are installed in the project site. The sprinklers installed in and around the crusher unit. To arrest the dust emission from the approach road and the haulage road, the project proponent has deployed a tanker vehicle to splash water. The photograph of effective utilization of sprinklers is provided at **Plate No.2**.

06	Eco-restoration including the mine closure plan shall be done at the own cost of the project proponent.	Noted
-----------	--	--------------

Compliance:

As part of eco restoration, the project proponent has started to plant various saplings within the project area. The mine closure plan will be done at own cost of project proponent as agreed in the proposal. The planted and proposed sapling to be planted in the project site is given below in the **Table No. 3**.

TABLE 3 Details of the saplings planted within the project area

Sl. No.	Scientific Name	Common Name	Family	Habitat
1	Bambusoideae	Bamboo	Poaceae	Tree
2	Murraya koenigii	Curry tree	Rutaceae	Tree
3	Terminalia arjuna	Maruthu	Combretaceae	Tree
4	Phyllanthus emblica	Nelli	Phyllanthaceae	Tree

COMPLIANCE REPORT

5	<i>Xylia xylocarpa</i>	Erul	Fabaceae	Tree
6	<i>Artocarpus heterophyllus</i>	Plavu	<i>Moraceae</i>	Tree
7	<i>Capsicum frutescens</i>	Kantharimulaku	<i>Solanaceae</i>	Herb
8	<i>Carica papaya</i>	Papaya	<i>Caricaceae</i>	Tree
9	<i>Cocos nucifera</i>	Thengu	<i>Arecaceae</i>	Tree
10	<i>Curcuma longa</i>	Manjal	<i>Zingiberaceae</i>	Herb
11	<i>Mangifera indica</i>	Mavu	<i>Anacardiaceae</i>	Tree
12	<i>Musa paradisiaca</i>	Vazha	<i>Musaceae</i>	Herb
13	<i>Swietenia mahagoni</i>	Mahagony	<i>Meliaceae</i>	Tree
14	<i>Tectona grandis</i>	Thekku	<i>Verbenaceae</i>	Tree

07	At least 10 percent out of the total excavated pit area should be retained as water storage areas and the remaining area should be reclaimed with stacked dumping and overburden and planted with indigenous plant species that are eco-friendly.	Will be complied
----	--	-------------------------

Compliance:

The project proponent is intending to retain 10 percent of total excavated pit as rain water storage area after closure of the mine. The remaining area will be reclaimed with stacked dumping of overburden and top soil. As part of its eco – restoration plan, the project will plant indigenous plant species that are eco – friendly on the reclaimed area.

08	Corporate Social Responsibility (CSR) agreed upon by the proponent should be implemented	Complied
----	---	-----------------

Compliance:

The activities under Corporate Social Responsibility (CSR)/ Corporate Environmental Responsibility (CER) activities are executed in the sector of Health and sports. The project proponent is intending to carry out more activities under CSR for inclusive growth in the community. Copy of receipts is attached as **Annexure No. 10**

Table No.4 Performed activates under CSR/CER

Sectors	Activities	Beneficiaries	Amount spent in Rs.
Social	Donaton	CMDRF	2,00,000
Total			2,00,000

09	The lease area shall be fenced off with barbed wires to a minimum height of 4ft around, before starting of mine.	Complied
-----------	---	-----------------

Compliance:

As part of demarcation of lease area and to prevent falling of animals/human being/dumping of garbage etc, the project proponent has erected barbed metal wire fencing around the mining area with height of 4 ft before the starting of mining. All the boundary indicators will be protected at all times and shall be conspicuous. The photograph of barbed metal wire fencing is provided in **Plate No.3**.

10	Warning alarms indicating the time of blasting (to be done at specific timings) has to be arranged as per stipulations of Explosive Department.	Complied
-----------	--	-----------------

Compliance:

To give warning to the labours and community people prior to the blasting in quarry, the project has installed warning alarms as per the stipulation of Explosive department in the quarry site. The blasting time is between 10.00 am to 4.00 pm on all working days. The photograph of warning alarm is attached as **Plate No. 4**.

11	Control measures on noise and vibration prescribed by KSPCB should be implemented.	Complied
-----------	---	-----------------

Compliance:

COMPLIANCE REPORT

To reduce noise level in the project site, the project proponent has implemented mitigate masseurs. The major noise generating sources from the mining activity is working machineries, drilling, blasting and plying of vehicles. The following control measures are undertaken to bringing down the noise levels:-

- Proper maintenance of machinery and equipments
- The machineries like breaker and excavator has well sound proof cabin so that the machine operators can work without stress due to the sound.
- Personal protective devices i.e., earmuffs, ear plugs etc. are provided to workers working in high noise areas.
- The mining activity held in day time only.

Blast vibrations and control measures

- ❖ Controlled blasting technique is adopted in this project in order to reduce blast vibrations.
- ❖ The maximum charge per delay is not more than 10kg to limit the PPV values to 10mm/sec.
- ❖ Optimum delay sequence and stem to column ratio is maintaining to minimize the ground vibration intensity.
- ❖ Appointed a qualified person in the mining area

12	Quarrying activities should be limited to day time as per KSPCB guidelines.	Complied
-----------	--	-----------------

Compliance:

Quarrying activities are limited to day time only as per KSPCB guidelines. The quarry working time is 8.00am to 5.00 pm. This will help to limit the sound pollution.

13	Blasting should be done in a controlled manner as specified by the regulations of explosives department or any other concerned agency.	Complied
-----------	---	-----------------

Compliance:

COMPLIANCE REPORT

To reduce ground vibration, the blasting is done in controlled manner by using ordinary and electric delayed detonators. All blasting activities are carrying out with the stipulated guidelines of explosive department and other concerned agency.

14	A licensed person should supervise/control the blasting operations.	complied
----	--	-----------------

Compliance:

The project proponent has appointed mining mate in the site to supervise/control exploitation of minor minerals including blasting at the project site.

15	Access roads to the quarry shall be tarred to contain dust emissions that may arise during transportation of materials.	Complied
----	--	-----------------

Compliance:

To contain dust emissions and for the trouble free transportation of materials, the project proponent has tarred and maintaining the access road. The project proponent splashes water on the road to arrest the dust production during summer season. The project proponent is regularly maintaining the access road in a good manner. The photograph of road is attached as **Plate No. 5**.

16	Overburden materials should be managed within the site and the old quarries, if any, should be restored.	complied
----	---	-----------------

Compliance:

The overburden and topsoil need to extract during the time of mining, these natural resources are being staked in the project site. There is no old quarry in the site for restoration. The overburden materials are stored within the site at designated place. This will be used for plantation, haulage roads and land filling in the mining area. No overburden will let out from the project site.

COMPLIANCE REPORT

17	Height of the benches should not exceed 5m and width should not be less than 5m.	complied
----	--	----------

Compliance:

The quarrying activity in the project site is progressing by creating benches of 5m width and 5m height. The mining is done under the direction and supervision of competent person. **Plate No.11** showing the work progressing in the quarry area.

18	Mats to reduce fly rock blast to a maximum of 10 PPV should be provided.	Noted
----	--	-------

Compliance:

The project proponent is using blasting mat to reduce fly rocks during blasting. The project is using ordinary delayed detonator for blasting therefore there is no issue with fly rock in the community and the project is also assure the maximum PPV is under 10.

19	Maximum depth of mining from general ground level at site shall not exceed 10m.	Noted
----	---	-------

Compliance:

The project proponent will follow the approved mining plan for the exploration of building stone. Therefore mining depth will not exceed beyond 10 meter or not below the level of the nearest stream bed, whichever is less.

20	No mining operations should be carried out at places having a slope greater than 45°.	Noted
----	---	-------

Compliance:

No mining operation is carried out with a slope greater than 45°.

COMPLIANCE REPORT

21	Acoustic enclosures should be provided to reduce sound amplifications in addition to the provisions of green belt and hollow brick envelop for crushers so that the noise level is kept within prescribed standards given by CPCB/KSPCB.	Complied
----	--	-----------------

Compliance:

To reduce sound amplification, the machines of crusher unit is housed with solid bricks. A green belt is also developed around the unit to reduce noise and air pollution. This helps the noise and sound level is kept within the prescribed standards. The labours in the unit are wearing ear plugs to reduce the impact of noise generating from the machines. The project proponent is maintained all machineries in a good manner. The photograph of the crusher is provided in **Plate No.6.**

22	The workers on the site should be provided with the required protective equipments such as ear muffs, helmet, etc	Complied
----	---	-----------------

Compliance:

To ensure the safety of workers in working site the project proponent has provided adequate Personnel Protective Equipments (PPE) such as helmets, ear plugs, safety belts, gloves, etc. The photograph of the workers with PPE is given in the **Plate No.7.**

23	Garland drains with clarifiers to be provided in the lower slopes around the core area to channelize storm water.	Noted
----	--	--------------

Compliance:

As part of effective storm water management, the project proponent has constructed storm water drains in the lower slopes of the project area. This helps to channelize the storm water to the rain water collection pond and the most of the debris is settling down in the bottom of the pond. The clarifiers will be installed soon at the let out point.

COMPLIANCE REPORT

24	The transportation of minerals should be done in covered trucks to contain dust emissions.	Complied
----	--	----------

Compliance:

The project proponent assure that the trucks are covered to avoid dust emission from the vehicle while transportation of materials.

25	The proponent should plant trees at least 5 times of the loss that has occurred while clearing the land for the project.	Being complied
----	--	----------------

Compliance:

As part of concurrent eco restoration, the project planted various saplings in the project area as a compensation of loss of trees while the project is clearing the land for mining. The photograph of planted trees is given in **Plate No. 8**. The list of tree saplings planted in the project site as part of eco-restoration is provided in **Table No 3**.

26	Disposal of spent oil from diesel engines should be as specified under relevant Rules/Regulations.	Noted
----	--	-------

Compliance:

The spent oil sold only to the approved recyclers, some time it is using as lubricant in the project site.

27	Explosives should be stored in magazines in isolated place specified and approved by the explosives department.	complied
----	---	----------

Compliance:

The Explosives are stored in magazine. The magazine is situated in an isolated place specified and approved by the explosives department. The photograph of the magazine is provided in **Plate No.9**.

28	A minimum buffer distance of hundred meters from the boundary of the quarry to the nearest dwelling unit or other	Complied
----	---	----------

COMPLIANCE REPORT

	structures, not being any facility for mining shall be provided.	
--	---	--

Compliance:

The project proponent has left minimum buffer distance of hundred meters from the boundary of the quarry to the nearest dwelling unit.

29	100 m buffer distance should be maintained from forest boundaries.	Noted
-----------	---	--------------

Compliance:

There is no forest area near to the project site. The nearest forest is 6 km away from the project site.

30	Consent from Kerala Pollution Control Board under water and Air act(s) should have been obtained before initiating activity.	Complied
-----------	---	-----------------

Compliance:

The project proponent has obtained consent from KSPCB under Water and Air Act(s). The copy of certificate of "*Consent to Operate*" (Renewal) from Kerala State Pollution Control Board is provided in **Annexure No.1**.

31	All other statutory clearances should have been obtained, as applicable, by project proponents from the respective competent authorities including that for blasting and storage of explosives.	Complied
-----------	--	-----------------

Compliance:

The certificates obtained from concerned statutory authorities are enclosed in **Annexure No. 1, 2, 3, 4 & 5**

TABLE 5 – APPROVALS FROM COMPETENT AUTHORITIES

Name of the Statutory approval	Name of the Statutory authority	Approval Number & Date
---------------------------------------	--	-----------------------------------

COMPLIANCE REPORT

“Consent to Operate” (Renewal)	Kerala State Pollution Control Board	PCB/KKD/DO/2296/2012
Environmental Clearance order	State Environmental Impact Assessment Authority, Kerala	539/SEIAA/EC4/3882/2014 Dated 15-12-2015
Explosive License	Ministry of Commerce & Industry – Petroleum & Explosives Safety Organization (PESO)	E/SC/KL/22/1620(E71339) Dated 12-06-2015
License for quarry operations	Municipality	A5-02/16-17 dated 01-04-2016
Permit order	Directorate of Mining and Geology	12/2016- 17/GS/CRPS/DOZ/M,1021/ 16 Dated 29-06-2016

32	In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Authority	Will be Complied
-----------	---	-------------------------

Compliance:

At present there is no change in the scope of the project. The project proponent will apply for Environmental clearance in the case of any change(s) in the scope of the project.

33	The Authority reserves the right to add additional safe guard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environmental (Protection) Act 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.	Noted
-----------	---	--------------

Compliance:

The project proponent is aware and agreed with right of authority to add additional safe guard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the

COMPLIANCE REPORT

Environmental (Protection) Act 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.

34	The stipulations by Statutory Authorities under different Acts and Notifications should be complied with, including the provisions of Water (Prevention and Control of Pollution) Act 1974, the Air (Prevention and Control of Pollution) Act 1981, The Environment (Protection) Act, 1986, the public liability (Insurance) Act, 1991 and EIA notification, 2006.	Noted
----	--	-------

Compliance:

The stipulated orders and directions under different act and notification including EIA notification will be scrupulously followed. A brief list of various Acts and notifications which are followed by the proponent is given below

1. **The Environment Protection Act,1986**
2. **Water (Prevention and Control of Pollution) Act, 1974**
3. **The Air (Prevention and Control of Pollution) Act, 1981**
4. **The Public Liability (Insurance) Act,1991**
5. **Municipal Solid Waste (Management and Handling) Act,2000**
6. **Hazardous and Other Wastes (Management and handling) Rules, 1989.**
7. **EIA notification, 2006**
8. **Kerala Minor Mineral concession Rules 2015**

35	The project proponent should advertise in at least two local news papers widely circulated in the region, one which (both advertisement and the newspaper) shall be in the vernacular language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the Department of Environment and Climate Change, Govt. of Kerala and may also be seen on the website of the Authority at www.seiaakerala.org . <u>The advertisement should be made within 10 days from the date of receipt of the Clearance letter and the copy of the same signed in all pages should be forwarded</u>	Complied
----	--	----------

COMPLIANCE REPORT

	<u>to the office of this authority as confirmation.</u>	
--	---	--

Compliance:

An advertisement in two local daily newspapers (English and Malayalam) regarding Environmental Clearance accorded to the quarry project was given within the stipulated period and the copy of the same was submitted at SEIAA Kerala. The photograph of news paper report is attached as **Annexure No. 6**. The details are given below in the **Table No.6**.

Table No. 6 Details of advertisement in news paper

Sl. No	News paper	Language	Date of edition
01	The New Indian express	English	01-03-2016
02	Malayala Manorama	Malayalam	01-03-2016

36	A copy of the clearance letter shall be sent by the proponent to concerned Grama/District Panchayath / Municipality / Corporation / Urban Local Body and also to the Local NGO, if any from whom suggestions / representations, if any were received while processing the proposal. The Environmental Clearance shall also be put on the website of the company by the proponent.	Complied
----	--	-----------------

Compliance:

A copy of the Environment Clearance letter was submitted to the gram Panchayath and Municipal Office. The project proponent did not receive any suggestions / representation from anywhere while the processing the proposal therefore did not give the copy of clearance letter to anyone.

37	The proponent shall submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hand copies as well as by e-mail) and upload the status of compliance of the stipulated EC conditions including results of monitored data on their website and shall update	Complied
----	---	-----------------

COMPLIANCE REPORT

	the same periodically. It shall simultaneously be sent to the respective Regional Office of MoEF, Govt. of India and also the Directorate of Environment and Climate Change, Govt. of Kerala.	
--	---	--

Compliance:

The third compliance report is being submitted to the State Environmental Impact assessment Authority, Kerala and the Regional Office of MoEF&CC, Bangalore both in hard copy as well as mail. The monitored data of Air, Water and Noise is attached as **Annexure No. 7, 8 & 9.**

38	The details of Environmental Clearance should be prominently displayed in a metallic board of 3 ft x 3ft with green background and yellow letters of Times New Roman font of size of not less than 40. Sign board with extant of lease area and boundaries shall be depicted at the entrance of the quarry, visible to the public.	Complied
-----------	---	-----------------

Compliance:

The conditions of the environmental clearance prominently displayed in a metallic board of 3 ft x 3 ft with green background and yellow letters of Times New Roman font was installed. The project has also fixed signboards in the lease area. The photograph of the board is provided in **Plate No. 10.**

39	The proponent should provide notarized affidavit (indicating the number and date of Environmental Clearance proceedings) that all the conditions stipulated in the EC shall be scrupulously followed.	Complied
-----------	--	-----------------

Compliance:

An assurance in the form of affidavit was already submitted to SEIAA Kerala.

40	The above conditions shall prevail notwithstanding anything to	Noted
-----------	---	--------------

	the contrary; in consistent, or simplified, contained any other permit, license on consent given by any other authority for the same project.	
--	--	--

Compliance:

The project will give priority to the conditions stipulated in the Environment clearance Order for its execution

PLATES

(Photographs of project)

Plate No. 1



Rain water harvesting pond

Plate No. 2



Sprinklers

Plate No.3



Fencing

Plate No.4



Warning Alarm

Plate No.5



Access Road

Plate No.6



Crusher Unit

Plate No.7



Personal Protective Equipments

Plate No.8



Sapling in the site

Plate No.9



Magazine

Plate No.10



Board

Plate No.11



Mining Area

ANNEXURE

(Documents of the project)

COMPLIANCE REPORT

Annexure No. 1



KERALA STATE POLLUTION CONTROL BOARD

FILE NO. :7196377

Date of issue :26/03/2018

INTEGRATED CONSENT TO OPERATE - RENEWAL

Consent No : PCB/CO/R1/3779/18

Ref : 1.PCB/CO/3779/15 DATED 10.06.2015

2.CONSENT VARIATION ORDER DATED 06.04.2017

The 'Integrated Consent to Operate' issued as per reference above to M/s MANJERI BRICKS AND METALS PVT LTD(QUARRY),ANAKKAYAM MANJERI MALPPURAM ERANADU is hereby renewed up to 31/05/2023 and issued to M/s MANJERI BRICKS AND METALS PVT LTD(QUARRY),ANAKKAYAM MANJERI MALPPURAM ERANADU The consent(s)/ variation order(s) cited under reference are integral part of this renewal order and this order is subject to the conditions stipulated therein and the following modifications/ additions.

I. GENERAL

S.No.	Items	Description
1	1.1. VALIDITY	31.05.2023
2	1.12.ANNUAL FEE	RS:18000/-
3	1.12.FEE REMITTED	RS:98000/-
4	1.16.PRODUCTS	BLASED RUBBLES(Quarrying in 0.4047 Hectares of land in Survey No.281/2 ANAKKAYAM VILLAGE,ERNAD TALUK, MALAPPURAM DISTRICT

II. Stack Details

Stack No.	Source of Emission	Emission Rate(Nm ³ /Hr)	Stack Height above		Control Equipment
			Ground Level(In Meters)	Roof Level(In Meters)	

III. CONDITIONS

- 5.1 The location of the Quarry shall be as per the approved drawing attached.
5.2. The PM 2.5 in ambient air at the boundary shall not exceed 60 microgram/m³

COMPLIANCE REPORT

.3. For renewal of the consent in case of continuance of discharge/operation of the industry, application in the prescribed form shall be submitted through the web portal of the Board for Online Consent Management & Monitoring System 3 months before the end of validity period. Late application will be accepted only with a fine /late fee as applicable.

5.4. Boundary shall be fenced before operation of quarrying activities.

5.5. Respirable suspended particulate matter level at boundary of the land owned with different adjoining area, excluding roads in residential and commercial areas is 100 microgram per cubic metre and 150 microgram per cubic metre in industrial area.

5.6. The concentration of PM10 at the boundary shall not exceed 100 microgram/m³.

5.7. After extraction at the site is completed, the land may be used for rain water harvesting with protective barriers/any other suitable approved purpose or may be reclaimed.

5.8. Suspended particulate matter level at boundary of the land owned with different adjoining areas excluding roads in residential and commercial areas is 200 microgram/cubic metre and in industrial area is 500 microgram per cubic metre.

5.9. The applicant shall comply with the instructions that the Board may issue from time to time regarding the prevention and control of air, water, land and sound pollution.

5.10. No change or alteration of the quarrying area is to be made without the prior written permission of the Board. Any change in the particulars furnished and/or in the identity of the occupier/authorized agent is to be intimated to the Board forthwith.

5.11. The ambient air quality measured at 1 m outside the boundary of the premises shall not exceed the ambient air quality applicable to the adjoining area.

5.12. The sound level measured at 1 m outside the boundary of the premises shall not exceed the ambient sound level applicable to the adjoining area.

5.13. Suitable species of trees and curtain plants shall be planted and maintained within and along the periphery of the premises, forming a green belt to improve the environment.

5.14. The consentee shall put up a sign board of size 6x4 ft. near the main entrance of the plant to display the name of the unit and important consent conditions.

5.15. Bench cutting method shall be adopted for quarrying.

5.16. Blasting shall be done with prior signals in specified time. No. of blasting shall not exceed 10nos. at a time.

5.17. Blasting and quarrying shall be done without causing any nuisance or damage to occupants of adjoining or neighbouring land or building or posing damage to health, life or property.

5.18. Mining below normal water table by continuous pumping shall be avoided in summer period (March, April, May) to prevent drinking water shortage in that area.

5.19. Noise creating activities such as drilling, blasting, breaking, loading etc shall not be done during night time (6pm-6am).

5.20. The applicant shall submit copies of all relevant permits/lease/certificate/licences periodically to this office to ensure the validity of this consent.

Reference:-

1) Explosive license No:E/SC/KL/22/1415(E57027) Dated:03.02.2016

2) Environmental Clearance No.:537/SEIAA/ECI/3880/2015 Dated :11.02.2016.

COMPLIANCE REPORT

All other conditions of the Integrated Consent to Operate issued as per reference above remain unchanged.

DATE :26/03/2018

VINAYA K S

Digitally signed by VINAYA K S
Date: 2018.03.27 09:59:31 +05'30'

SIGNATURE & SEAL OF ISSUING AUTHORITY
ENVIRONMENTAL ENGINEER



To
STOCK FILE

1. This digitally signed document is legally valid as per the Information Technology Act 2000
2. For verifying this document please go to krocmms.nic.in and search using date of issue/name of the unit/Application Number in "Consent Granted Applications" link in the home page of the Board's Online Consent Management and Monitoring System.

Consent form PCB

Annexure No.2

Validity expires on 10-02-2021



सत्यमेव जयते

**Proceedings of the State Environment Impact Assessment
Authority Kerala**

Present : Prof. (Dr.) K.P. Joy, Chairman; Dr. J. Subhashini, Member and Sri. P. Mara Pandiyan,
I.A.S., Member Secretary.

Sub: SEIAA- Environmental Clearance for the proposed building stone quarry project in Survey Nos. 276/2, 281/2 B/No. 45 at Anakayam Village, Anakayam Panchayath and Sy. No. 244 at Manjeri Village, Manjeri Municipality, Eranadu Taluk., Malappuram District by Sri. Abdul Azeez, Managing Director, M/s. Manjeri Bricks and Metals Pvt. Ltd., Vettakode, Pullancherry P.O., Manjeri, Malappuram-676122-Granted-Orders issued.

STATE ENVIRONMENTAL IMPACT ASSESSMENT AUTHORITY
No. 537/SEIAA/EC1/3880/2015 dated, Thiruvananthapuram 11-02-2016

- Read:
1. Application dated 31.07.2014 submitted by Sri. Abdul Azeez, Managing Director, Manjeri Bricks and Metals Pvt. Ltd., Vettakode, Pullancherry P.O., Manjeri, Malappuram-676122
 2. Minutes of the 45th meeting of SEAC held on 11/12-09-2015.
 3. Minutes of the 49th meeting of SEAC held on 07/08-12-2015.
 4. Minutes of the 48th meeting of SEIAA held on 23-01-2016.

Environmental Clearance No. 20/2016

Sri. Abdul Azeez, Managing Director, Manjeri Bricks and Metals Pvt. Ltd., Vettakode, Pullancherry P.O., Manjeri, Malappuram (D) vide his application received on 13/08/2014 has sought Environmental Clearance under EIA Notification, 2006 for the quarry project in Sy. No. 276/2, 281/2 B/No. 45 at Anakayam Village, Anakayam Panchayath and Sy. No. 244 at Manjeri Village, Manjeri Municipality, Eranadu Taluk, Malappuram District, Kerala for an area of 2.8549 hectares. The project comes under Category B, Activity 1(a), (i) as per the Schedule of EIA Notification 2006 (since it is below 50hectares) and as per O.M. No. L-11011/47/2011-IA.II (M) dated 18th May 2012 of Ministry of Environment and Forests. It is further categorized as Category B2 as per the O.M. No. J-13012/12/2013-IA-II (I) dt. 24.12.2013 of Ministry of Environment and Forests, since the area of the project is below 25 hectares. Other details of the proposal are as follows:



Page 1 of 8

Copy of EC Order



COMPLIANCE REPORT

Annexure No.3

अनुज्ञप्ति प्ररूप एन.ई.-3 | LICENCE FORM LE-3
(विस्फोटक नियम, 2008 की अनुसूची 4 के भाग 1 के अनुच्छेद 3(क) से (घ) देखिए।)
(See article 3(a) to (d) of Part 1 of Schedule IV of Explosives Rules, 2008)

(ग) उपयोग के लिए एक समय पर वर्ग 1,2,3,4,5 या वर्ग 7 के विस्फोटक या किसी मैगजीन में वर्ग 6 के विस्फोटक रखें
Licence to possess : (c) for use,explosives of class 1, 2,3,4,5,6 or 7 in a magazine

अनुज्ञप्ति सं. (Licence No.) : E/SC/KL/22/1415(E57027)
वार्षिक फीस रूपए (Annual Fee Rs): 2400/-

1. Licence is hereby granted to
Shri N.P.Abdul Azeem, Managing Director (अधिभोगी / Occupier : Shri N.P.Abdul Azeem), Manjeri Bricks and Metals Pvt Ltd, Anakkayam
Town/Village - Manjeri, District-MALAPPURAM, State-Kerala, Pincode - 676122

को अनुज्ञप्ति अन्दत्त की जाती है।

2. अनुज्ञप्तिधारी की प्रस्थिति | Status of licensee : Company

3. अनुज्ञप्ति निम्नलिखित प्रयोजनों के लिए विधिमान्य है।
Licence is valid only for the following purpose. : possess for use of Nitrate Mixture, Safety Fuse, Ordinary Detonator, Electric Detonators, - के उपयोग के लिए

4. अनुज्ञप्ति विस्फोटकों के निम्नलिखित किस्मों, प्रकार और मात्रा के लिए विधिमान्य है।
Licence is valid for the following kinds and quantity of explosives: -- (क) (a)

क्र. सं.	नाम और विवरण	वर्ग और प्रभाग	उप-प्रभाग	मात्रा किसी एक समय में
Sr. No.	Name and Description	Class & Division	Sub-division	Quantity at any one time
1.	Nitrate Mixture	2, 0	0	100 Kg
2.	Safety Fuse	6, 1	0	1500 Mtrs
3.	Ordinary Detonator	6, 3	0	2000 Nos.
4.	Electric Detonators	6, 3	0	2000 Nos.

(ख) किसी एक कलेंडर मास में खरीदे जाने वाले विस्फोटक की मात्रा [अनुच्छेद 3(ख) और (ग) के अधीन अनुज्ञप्ति के लिए] : 10 times as above.
(b) Quantity of explosives to be purchased in a calendar month[applicable for licence under article 3(b) and (c)] :

5. निम्नलिखित रेखाचित्र (रेखाचित्रों) से अनुज्ञप्ति परिसर की पुष्टि होती है।
The licensed premises shall conform to the following drawing(s) : रेखाचित्र क्र. (Drawing No.) E/SC/KL/22/1415(E57027)
दिनांक (Dated) 18/03/2016

6. अनुज्ञप्ति परिसर निम्नलिखित पते पर स्थित हैं। The licensed premises are situated at following address:
Survey No. 281/2, ग्राम (Town/Village) : Anakkayam village, Ernad Taluk, Malappuram Distric
जिला (District) MALAPPURAM राज्य (State) Kerala पुलिस थाना (Police Station) : Manjeri
दूरभाष (Phone) 9745178677 ई. मेल (E-Mail) पिनकोड (Pincode) 0
फैक्स (Fax)

7. अनुज्ञप्ति परिसर में निम्नलिखित सुविधाएं अंतर्विष्ट हैं।
The licensed premises consist of following facilities. : A set of one D type (Sl.No.369) and one E type (Sl.No.522) portable magazines fabricated by M/s Thekkans Engg and Fabrication Works, Ernakulam, Kerala.

8. अनुज्ञप्ति समय - समय पर यथासंशोधित विस्फोटक अधिनियम, 1884 और उनके अधीन विरचित विस्फोटक नियम, 2004 के उपबंधों, शर्तों और अतिरिक्त शर्तों और निम्नलिखित उपाबंधों के अधीन रहते हुए अनुदत्त की जाती है।
The licence is granted subject to the provision of Explosives Act 1884 as amended from time to time and the Explosives Rules, 2008 framed there under and the conditions, additional conditions and the following Annexures.

- उपर्युक्त क्रम सं. 5 में यथा कथित रेखाचित्र (स्थान, सन्निर्माण संबंधी और अन्य विवरण दर्शित करते हुए)।
Drawings (showing site, constructional and other details) as stated in serial No. 5 above.
- अनुज्ञप्ति प्राधिकारी द्वारा हस्ताक्षरित इस अनुज्ञप्ति की शर्तों और अतिरिक्त शर्तों।
Conditions and Additional Conditions of this licence signed by the licensing authority.
- दूरी प्ररूप DE-2 | Distance Form DE-2.

9. यह अनुज्ञप्ति तारीख 31 मार्च 2016 तक विधिमान्य रहेगी। This licence shall remain valid till 31st day of March 2016.

यह अनुज्ञप्ति, अधिनियम या उसके अधीन विरचित नियमों या अनुसूची V के भाग 4 के प्रति निर्दिष्ट सेट-VII के अधीन तथा उपवर्णित इस अनुज्ञप्ति की शर्तों का अधिकरण करने या यदि अनुज्ञप्ति परिसर योजना या उससे संलग्न उपबंध में दर्शित विवरण के अनुरूप नहीं पाए जाने पर निलंबित या प्रतिसंहत की जा सकती है, जहां वह लागू हो।
This licence is liable to be suspended or revoked for any violation of the Act or Rules framed there under or the conditions of this licence as set forth under Set VIII, wherever applicable, referred to in Part 4 of Schedule V or if the licensed premises are not found conforming to the description shown in the plans and Annexure attached hereto.

तारीख | The Date - 17/04/2012

संयुक्त मुख्य विस्फोटक नियंत्रक | Joint Chief Controller of Explosives
South Circle, Chennai
कृते उप मुख्य विस्फोटक नियंत्रक
For Deputy Chief Controller of Explosives
एरनाकुलम Ernakulam

नवीनीकरण के पृष्ठांकन के लिए स्थान
Space for Endorsement of Renewal

नवीकरण की तारीख Date of Renewal	समाप्ति की तारीख Date of Expiry	अनुज्ञापन प्राधिकारी के हस्ताक्षर और स्टाम्प Signature of licensing authority and stamp
03/02/2016	31/03/2021	Sd/- Jt. Chief Controller of Explosives, South Circle, Chennai

कानूनी चेतावनी : विस्फोटकों को गलत ढंग से चलाने या उनका दुरुपयोग विधि के अधीन गंभीर दंडित अपराध होगा।
Statutory Warning : Mishandling and misuse of explosives shall constitute serious criminal offence under the law.

Explosive license

Annexure No.4




മഞ്ചേരി നഗരസഭ

1994 ലെ കേരള മുനിസിപ്പാലിറ്റി ആക്ട് (1994 20-ാം ആക്ട്)
444/453/456/469/447 വകുപ്പ് അനുസരിച്ചുള്ള

ലൈസൻസ്

No **176**

1. ലൈസൻസ് നമ്പർ. 2 | 2020 | 2021 ഫയൽ നമ്പർ. 3552 | 2020
2. ലൈസൻസിയുടെ പേരും മേൽവിലാസവും. ABDUL AZEEZ.
(MANAGERIAL DIRECTOR, MANJERI BRICKS & METALS)
NAALUPURAKKAL (H) KUMARAPLEWH.
KOZHIKODE
3. അച്ചന്റെ പേര്. HUSSAIN
4. വാർഡ് നമ്പർ. 22 കെട്ടിട നമ്പർ. 116/16
5. സ്ഥാപനത്തിന്റെ പേര്. MANJERI BRICKS & METALS.
6. പുതിയതാണെങ്കിൽ തുടങ്ങിയ/ തുടങ്ങുന്ന തീയതി. 01/04/2020
7. ലൈസൻസ് എന്ത് ആവശ്യത്തിനാണ് അനുവദിച്ചത്.....
KARINKAL QUARRY
This licence valid upto depends upon EC clearance (10-02-2021)
8. ലൈസൻസ് ഫീസ്. 6000 ലൈസൻസ് കാലാവധി. 31-03-2021

തീയതി: 08/05/2020
 സെക്രട്ടറി/മേയർ 08/5/2020
 (സ്പഷ്യൽ കൗൺസിലർ)

License form Municipality

COMPLIANCE REPORT



ലൈസൻസ് നമ്പർ എ4-999/16/19

തീയതി: 27/03/2019

ആനക്കയം ഗ്രാമ പഞ്ചായത്തിൽ നിന്നും 1994 ലെ കേരള പഞ്ചായത്ത് രാജ് ആക്ട് (1994 ലെ 13) 232, 233, 234, 254 എന്നീ വകുപ്പുകളും അതേ തുടർനുള്ള ചട്ടങ്ങളും അനുസരിച്ച് നൽകുന്ന

FACTORIES, TRADES, ENTREPRENEURSHIP ACTIVITIES AND OTHER SERVICE LICENSE

ലൈസൻസിയുടെ പേരും, മേൽവിലാസവും	അബ്ദുൽ അസീസ്, മാനേജിംഗ് ഡയറക്ടർ, മഞ്ചേരി ബ്രിക്സ് മെറ്റൽസ്, റോട്ടേഷോട്.
സ്ഥാപനത്തിന്റെ പേരും, സ്ഥലനാമവും	MANJERI BRICKS
ലൈസൻസ് നൽകിയിട്ടുള്ള പ്രവർത്തനങ്ങൾ	കരിങ്കൽ ചെനം നടത്തുന്നതിന്
കെട്ടിടത്തിന്റെ നമ്പരും, വാർഡ് നമ്പരും	Sy No BL-45/281/2, BL-45 276/2 Anakkayam Village
ലൈസൻസ് കാലയളവ്	01/04/2019 മുതൽ 31/03/2024 വരെ
ഊടാക്കിയ ലൈസൻസ് ഫീസ്	25000/ (118180106834 തീയതി 21/02/2019)
	<p>1) The Quarrying permit issued by the Mining and Geology Dept vide No 01/2018-19/GR/DOM/M-860/2018 Dt 04/06/2018, Validity till 03/06/2019.</p> <p>2) Consent from the Kerala State Pollution Control Board vide No PCB/CO/R1/3779/18 Dt 26/03/2018, Validity till 31/05/2023.</p> <p>3) Consent from the State Environment Impact Assessment Authority vide No 537/SEIAA/EC1/3880/2015 Dt 11/02/2016, Validity till 10/02/2021.</p> <p>4) Blaster's certificate of Competency. (No 3991Dt 31/05/2002)</p> <p>5) License issued from the Explosive Authority of India vide No E/SC/KL/22/1415(E57027) Dt 18/03/2016, Validity till 31/03/2021.</p> <p>6) The Possession Certificate issued by the Anakkayam Village Officer.</p>



Handwritten signature and official stamp of the Village Officer, Anakkayam Panchayat.

License form Panchayath

COMPLIANCE REPORT

Annexure No.6

No.10242/M3/2015

Directorate of Mining & Geology
Kesavadasapuram, Pattom P.O.
Thiruvananthapuram-4
Tel: 0471-2447429
Fax: 0471-2447429
E.mail: director.dir.dmg@kerala.gov.in
Web: www.dmg.kerala.gov.in
Dated : 16/08/2016

From The Director of Mining & Geology

To Sri.N.P.Abdul Azeez,
Managing Director,
Manjeri Bricks & Metals Pvt. Ltd
Pullancheri.P.O,Vettakode, Manjeri, Malappuram,676122

Sir,

Sub : Mines and Minerals - Minor Minerals- Granite Building Stone -
Preparation and execution of quarrying lease deed – reg –


Ref : 1. Pro.Order No. 321/2016-17/10242/M3/2016 Dated:16/08/2016
2. KMMC Rules 2015
3. Pro.OrderNo.537/SEIAA/EC1/3880/2015 dtd 11/02/2016 of State
Environment Impact Assessment Authority, Kerala, Tvpn.

Please refer to the Proceedings Order cited above where in a quarrying lease for Granite (Building Stone) was granted to Sri.N.P.Abdul Azeez, Managing Director, Manjeri Bricks & Metals Pvt. Ltd Pullancheri.P.O,Vettakode, Manjeri, Malappuram,676122. I request you to prepare three copies of the quarrying lease deed in original in plain paper and two copies of the same in stamped paper worth Rs. 200/- and produce the same before the Geologist, District Office, Malappuram for scrutiny and execution. The date of execution will be entered up by the Geologist at the time of execution. After scrutiny of the quarrying lease deed, the Geologist will inform you the date of execution convenient to him. After execution, as per the request of the Geologist, stamp duty will be fixed by the District Registrar, Malappuram and he will receive the stamp duty and a certificate of remittance of stamp duty will be entered in the lease deed. A chalan for Rs 10,550/- (Rupees ten thousand five hundred and fifty only) being the security deposit is enclosed herewith duly countersigned. Please affix your signature at the appropriate places before remittance of money in the treasury. The original treasury receipted chalan may also be produced along with the typed copies of the lease deed and the draft form 'H' which is enclosed herewith, before the Geologist, District Office, Malappuram at the time of execution.

Please note that the quarrying lease deed has to be executed within a period of six months from the date on which quarrying lease has been granted and got registered in accordance with the Registration Act, 1908 vide Rules 44 of the Kerala Minor Mineral Concession Rules, 2015. Form 'D' is also enclosed herewith for strict compliance and to report thereof.


Encl : as above

Yours faithfully
[Signature]
16/08/2016
DIRECTOR OF MINING & GEOLOGY (I/c)



Copy of Lease

Annexure No.7



Advertisement in News paper

COMPLIANCE REPORT

Annexure No. 7

**TEST REPORT**

Test Report No:20200526/R055	Date: 30.05.2020	Page 1 of 1
------------------------------	------------------	-------------

CUSTOMER DETAILS				
Customer Details	Name & Address	Mr. N.P.AbdulAzees Managing Director M/s Manjeri Bricks & Metals (P) Ltd Pullanjeri, Manjeri, Malappuram District		
Location of Site	Survey No	276/2, 281/2	Re-Survey No	116/16
	Village	Anakkayam	Village	Manjeri
	Taluk	Ernad	Taluk	Ernad
	District	Malappuram	District	Malappuram
	State	Kerala	State	Kerala
Customer Reference	Test Request form dated 26.05.2020			
SAMPLE DETAILS				
Source of Sample	Ambient Air	Sample Code	20200526/S055	
Location of Monitoring	South side boundary	Sampled By	Laboratory	
Date of Monitoring	26.05.2020	Test Started On	27.05.2020	
Sample Received On	27.05.2020	Test Completed On	30.05.2020	
Humidity	68 %	Sampling Procedure	IS 5182 Part V & XIV	

SL NO	TEST PARAMETER	TEST METHOD	UNIT	RESULTS	NAAQ STANDARD
01	Particulate matter (PM ₁₀)	IS 5182 Part 23: 2006 RA 2017	µg/m ³	60.7	100
02	Particulate matter (PM _{2.5})	EPA 40 CFR Part 50 Appendix - L	µg/m ³	25.9	60.0
03	Sulphur dioxide (SO ₂)	IS 5182 Part 2: 2001 RA 2017	µg/m ³	< 2.00	80.0
04	Nitrogen dioxide (NO ₂)	IS 5182 Part 6: 2006 RA 2017	µg/m ³	< 2.00	80.0

End of Report

For and on behalf of
Standard^s Environmental & Analytical Laboratories

Authorized Signatory

Laiju P. N.
Laboratory Head**Standard^s Environmental & Analytical Laboratories**

Accreditation and Approval: NABL as per ISO 17025: 2017 & "A" Grade Laboratory of KSPCB
K.J. Tower, Pathalam, Udyogamandal P.O., Ernakulam-683 501, Tel. 0484-2546660, 93 87 27 24 02, 90 74 34 14 43
Web: www.sealabs.in, E-mail: seaalab@gmail.com

Ambient Air

COMPLIANCE REPORT

Annexure No.8



TEST REPORT

Test Report No:20200526/R056	Date: 30.05.2020	Page 1 of 1
------------------------------	------------------	-------------

CUSTOMER DETAILS				
Customer Details	Name & Address	Mr. N.P.AbdulAzees Managing Director M/s Manjeri Bricks & Metals (P) Ltd Pullanjeri, Manjeri, Malappuram District		
Location of Site	Survey No	276/2, 281/2	Re-Survey No	116/16
	Village	Anakkayam	Village	Manjeri
	Taluk	Ernad	Taluk	Ernad
	District	Malappuram	District	Malappuram
	State	Kerala	State	Kerala
Customer Reference	Test Request form dated 26.05.2020			
SAMPLE DETAILS				
Source of Sample	Ambient Sound Level			
Sample Code	20200526/S056			
Location of Monitoring	South side Boundary			
Date of Monitoring	26.05.2020			
Method	IS 9989:1981 RA:2008			

DAYTIME	RESULT	NIGHTTIME	RESULT
06.00 Hrs	37.4 dB (A)	23.00 Hrs	34.8 dB (A)
07.00 Hrs	40.1 dB (A)	00.00 Hrs	37.3 dB (A)
08.00 Hrs	44.4 dB (A)	01.00 Hrs	38.1 dB (A)
09.00 Hrs	47.9 dB (A)	02.00 Hrs	37.7 dB (A)
10.00 Hrs	50.2 dB (A)	03.00 Hrs	38.4 dB (A)
11.00 Hrs	53.3 dB (A)	04.00 Hrs	37.3 dB (A)
12.00 Hrs	50.6 dB (A)	05.00 Hrs	39.1 dB (A)
13.00 Hrs	49.8 dB (A)	RESULTS	
14.00 Hrs	50.2 dB (A)		
15.00 Hrs	50.6 dB (A)	Noise Level (Leq) Daytime	48.7 dB (A)
16.00 Hrs	51.7 dB (A)		
17.00 Hrs	52.1 dB (A)		
18.00 Hrs	46.7 dB (A)		
19.00 Hrs	43.2 dB (A)	Noise Level (Leq) Nighttime	37.6 dB (A)
20.00 Hrs	39.4 dB (A)		
21.00 Hrs	38.9 dB (A)		
22.00 Hrs	36.3 dB (A)		

End of Report

For and on behalf of
Standard^S Environmental & Analytical Laboratories

Authorized Signatory

Laiju P. N.
Laboratory Head

Standard^S Environmental & Analytical Laboratories

Accreditation and Approval: NABL as per ISO 17025: 2017 & "A" Grade Laboratory of KSPCB
K.J. Tower, Pathalam, Udyogamandal P.O., Ernakulam-683 501, Tel. 0484-2546660, 93 87 27 24 02, 90 74 34 14 43
Web: www.sealabs.in, E-mail: seaalab@gmail.com

Result of ambient sound

COMPLIANCE REPORT

Annexure No.9

**TEST REPORT**

Test Report No: 20200526/R057	Date: 30.05.2020	Page 1 of 1
-------------------------------	------------------	-------------

CUSTOMER DETAILS				
Customer Details	Name & Address	Mr. N.P.AbdulAzees Managing Director M/s Manjeri Bricks & Metals (P) Ltd Pullanjeri, Manjeri, Malappuram District		
Location of Site	Survey No	276/2, 281/2	Re-Survey No	116/16
	Village	Anakkayam	Village	Manjeri
	Taluk	Ernad	Taluk	Ernad
	District	Malappuram	District	Malappuram
	State	Kerala	State	Kerala
Customer Reference	Test Request form dated 26.05.2020			
SAMPLE DETAILS				
Sample Code	20200526/S057	Sample Received On	27.05.2020	
Sample Name	Water	Sampling Procedure	---	
Sample Description	Open Well	Sampling Location	West Side	
Identification By Customer	---	Sample Condition	Good	
Sampled On	---	Test Started On	27.05.2020	
Sampled By	Customer	Test Completed On	30.05.2020	

SL NO	TEST PARAMETER	TEST METHOD	UNITS	RESULT	ACCEPTABLE LIMIT (IS 10500 – 2012)
01	Colour	IS 3025 Part 4:1983 RA 2017	Hazen	1.00	5.00 (Max)
02	Odour	IS 3025 Part 5:1983 RA 2017	---	Unobjectionable	Unobjectionable
03	Turbidity	IS 3025 Part 10:1984 RA 2017	NTU	0.20	1.00 (Max)
04	pH	IS 3025 Part 11:1983 RA 2017	---	6.94	6.50 – 8.50
05	Conductivity	IS 3025 Part 14:1984 RA 2013	µS/cm	74.0	---
06	Total Dissolved Solids	IS 3025 Part 16:1984 RA 2017	mg/L	47.0	500 (Max)
07	Total Hardness (as CaCO ₃)	IS 3025 Part 21:2009 RA 2014	mg/L	20.0	200 (Max)
08	Calcium (as Ca)	IS 3025 Part 40:1991 RA 2014	mg/L	4.01	75.0 (Max)
09	Magnesium (as Mg)	IS 3025 Part 46:1994 RA 2014	mg/L	2.43	30.0 (Max)
10	Chloride (as Cl)	IS 3025 Part 32:1988 RA 2014	mg/L	6.10	250 (Max)
11	Total Alkalinity (as CaCO ₃)	IS 3025 Part 23:1986 RA 2014	mg/L	15.6	200 (Max)
12	Iron (as Fe)	IS 3025 Part 53:2003 RA 2014	mg/L	0.14	1.00 (Max)
13	Sulphate (SO ₄)	IS 3025 Part 24:1986 RA 2014	mg/L	<1.00	200 (Max)
14	Total Coliform Bacteria	IS 15185 : 2016	---	Absent/100 ml	Absent/100 ml
15	E coli	IS 15185 : 2016	---	Absent/100 ml	Absent/100 ml

End of Report

For and on behalf of
Standard^s Environmental & Analytical Laboratories

Authorized Signatory


Laju P. N.
Laboratory Head

Standard^s Environmental & Analytical Laboratories

Accreditation and Approval: NABL as per ISO 17025: 2017 & "A" Grade Laboratory of KSPCB
K.J. Tower, Pathalam, Udyogamandal P.O., Ernakulam-683 501, Tel. 0484-2546660, 93 87 27 24 02, 90 74 34 14 43
Web: www.sealabs.in, E-mail: seaalab@gmail.com

Result of drinking water

Annexure No.10



CSR Receipts